

# LGMG

## HR2150

### TELEHANDLER




LGMG Telehandlers are the perfect choice for construction work. They are sturdy yet manoeuvrable, with excellent performance and strong four-wheel drive capabilities. The three steering modes and frame leveling function make the LGMG Telehandlers the perfect machine to tackle complex or difficult working conditions. The LGMG HR2150 Telehandler can rotate with 360 degree to expand the working scope.



## SPECIFICATIONS

MODELS	HR2150	
Measurements	Metric	Imperial
Max. Lifting Height	20.7m	67'11"
Max. Outreach	18.1m	59'5"
<b>A</b> Overall Length	6.86m	22'6"
<b>B</b> Overall Width	2.46m	8'1"
<b>C</b> Overall Height	3.15m	10'4"
<b>D</b> Wheelbase	2.75m	9'
<b>E</b> Ground Clearance	0.39m	1'3"
PRODUCTIVITY		
Max. Capacity	4,999kg	11,021 lbs
Gradeability-Unladen	50%	
Min. Turning Radius	3.65m	12'
Tilt Angle	±8°	
Drive /Steering Mode	4 Wheel Drive / 4 Wheel Steer	
Primary Boom Ascending Time	27s	
Primary Boom DescendingTime	22s	
Boom Extending Time	32s	
Boom Retracting Time	23s	
Forward - First Gear Travel Speed	5km/h	3.1mph
Forward - Second Gear Travel Speed	30km/h	18.6mph
Backward - First Gear Travel Speed	5km/h	3.1mph
Backward - Second Gear Travel Speed	30km/h	18.6mph
Braking	Multiple-disk brake with oil bath on front and rear axles	
Standard Tyres	445/70 R22.5	
POWER		
Manufacturer	Perkins	
Rated Power	106kW	142.1hp
Max. Torque	558N.m	411.2 lb.ft
Displacement	4,400ml	268.5 cu.in
Maximum traction force	96KN	
HYDRAULIC SYSTEM		
Working pump type	Variable piston pump	
Working pump displacement	132 l/min	35 US gpm
TANK CAPACITIES		
Hydraulic Oil Capacity	260L	60.7gal
Fuel Tank Capacity	170L	44.9gal
WEIGHT		
Machine Weight	17,100kg	37,699 lbs

# LOAD CURVE OF HR2150 UNDER RT CONDITION



Standard Fork

1



Extension Work Platform

2



3

General Purpose Bucket



4

Frame Mounted Hook



Please contact LGMG or a local dealer for more details.

LGMG reserves the right to change technical data without prior notice. All photos and pictures in this brochure are for promotional purposes only.

**LINGONG HEAVY MACHINERY CO., LTD.**

Address: No. 2676, Kejia Road, Jinan, Shandong, China

Email: sales@lgmg.com.cn Tel: +86 531 6787 9283

www.lgmglifts.com



RELIABILITY IN ACTION